SIEMENS

Data sheet

6GK1901-1BB10-2AA0

product type designation product description



IE FC RJ45 Plug 180 (2x2)

RJ45 data connector

Industrial Ethernet FastConnect RJ45 plug 180 2x 2, RJ45 plug-in connector (10/100 Mbit/s) with rugged metal enclosure and FC connection system, for IE FC Cable 2x 2; 180° cable outlet 1 pack = 1 unit

suitability for use

For connection to IE FC TP cables 2x2, suitable for fast assembly with the FastConnect system

| transfer rate | |
|--|---|
| transfer rate / for Industrial Ethernet | 10 Mbit/s, 100 Mbit/s |
| interfaces | |
| number of electrical connections | |
| for Industrial Ethernet FC TP cables | 4 |
| for network components or terminal equipment | 1 |
| type of electrical connection | |
| for Industrial Ethernet FC TP cables | integrated cut-and-clamp contacts for 4-wire TP FC installation cable AWG22 |
| for network components or terminal equipment | RJ45 connector |
| type of electrical connection / FastConnect | Yes |
| mechanical data | |
| material / of the enclosure | metal |
| number of reuses | 10 |
| locking mechanism design | other |
| design, dimensions and weights | |
| type of cable outlet | 180° cable outlet |
| width | 13.7 mm |
| height | 16 mm |
| depth | 55 mm |
| net weight | 35 g |
| connectable cable cross-section | 6.5 6.5 mm |
| connectable conductor cross-section | 0.33 mm ² |
| ambient conditions | |
| ambient temperature | |
| during operation | -40 +85 °C |
| during storage | -40 +85 °C |
| during transport | -40 +85 °C |
| relative humidity | |
| at 25 °C / without condensation / during operation / maximum | 95 % |
| protection class IP | IP20 |
| product features, product functions, product components / general | |
| product feature | |
| PoE capability | Yes |

| PoE+capability | Yes |
|---|--|
| silicon-free | Yes |
| product component | |
| strain relief | Yes |
| standards, specifications, approvals | |
| certificate of suitability | |
| RoHS conformity | Yes |
| UL approval | Yes |
| cULus approval | Yes |
| railway application in accordance with EN 50155 | No |
| standard for structured cabling | Cat5 |
| further information / internet-Links | |
| Internet-Link | |
| to web page: selection aid TIA Selection Tool | http://www.siemens.com/tia-selection-tool |
| to website: Industrial communication | http://www.siemens.com/simatic-net |
| to website: Industry Mall | https://mall.industry.siemens.com |
| to website: Information and Download Center | http://www.siemens.com/industry/infocenter |
| to website: Selection guide for cables and connectors | https://sie.ag/2QdlxcP |
| to website: Image database | http://automation.siemens.com/bilddb |
| to website: CAx-Download-Manager | http://www.siemens.com/cax |
| to website: Industry Online Support | https://support.industry.siemens.com |

last modified:

6/30/2021 🖸