

 انواع قطعات پلاژ	 هد پلاژهای آج بی	 دستگاههای کمپوزر	 نور دستگاههای کپی رنگی و سیاه سفید	 دستگاههای صفائی	 کپی بریسر و کپی بریسر
 انواع رول کاغذ	 انواع جوهر پلاژ و بریسر	 رول کمپیت گرم و سرد	 InkJet & LaserJet Paper	 انواع تیت کمپیت	 لیبل و رول خوانی

آساک سیستم
توزیع کلیه ملزومات و مواد مصرفی دفاتر فنی و مراکز چاپ دیجیتال
www.Asaksystem.com
021 - 888 44 370
021 - 888 41 683
021 - 88 49 1500

 
Asak System 0910 97 87 284

1. Machine picture: SD-2000



2. The product specification table :

MODEL	SD-2000
Machine type	Comb type
Punching (80g/70g-A4/Sheets)	20/25
Binding (80g-A4/Sheets)	400
Hole size (mm)	3X8
Hole qty (pcs)	1-21
Free pins (pcs)	21
Extra binding handle	
Margin (mm)	3, 6, 9
Size (mm)	150x320x180
Inner box (mm)	505x1258x390
Carton (mm)	520X395X535
G.W. (kg)	11.5
PCS/Carton	2
20'/40'FCL (PCS)	1112/2200


3、 Trait:

21 blades free pins for multi punching

Punching up to 20/25 sheets per time Max.

Binding up to 400 sheets A4 papers Max.

4、 Functional components of Graphs:



5、 The product details:

1. Installation:


- Fasten the handle to the binding machine with handle screw correctly
- Put the machine on the flat desk and, ensure the base is stable, then the machine is ready for work.

2. Attention :

- a. Do not punch over the punching capacity
- b. Do not punch wet paper, cloth, glass, metal material etc.
- c. Always clean the waste bin.
- d. Do not hit or drop to the comb pine system, or the personal damage will occur, for this reason.
- e. Do not expose the top of the machine, esp. the comb pine system to anybody, the machine should be put on a safety place.
- f. The machine is only for adult use, do not let the children to touch or operate.
- g. Do not disassemble the machine by yourself, please contact your professional service department or dealer in case of malfunction

3. Operation:

- a. Set the margin selector and the paper stopper on the reasonable position
- b. Punch the papers or the binding covers by pressing the handle downward
- c. Choose a correct binding ring by referring to the last page.
- d. Put the binding ring to the comb pine system; pull the handle upward to open the ring correctly
- f. Insert the punched papers into comb rings properly; pull the handle downward to close the ring so as to complete the binding.



Comb Binding Ring Selection:

Dimension (mm)	No. of Sheets(80g)	Shape	Dimension (mm)	No. of Sheets(80g)	Shape
6	2-20	Round	28	201-225	Oval
8	21-35	Round	32	226-250	Oval
10	36-45	Round	38	251-310	Oval
12	46-80	Round	45	311-360	Oval
14	81-100	Round	51	361-410	Oval
16	101-120	Round			
19	121-140	Round			
22	141-170	Round			
25	171-200	Round			