

## PQ2071 1¢/3¢ 1000A TRMS AC Power Clamp Meter



Connects to all three voltage phases simultaneously without having to move test leads from phase to phase.

Extech's multifunctional PQ2071 Power Clamp meter operates as a True RMS Clamp Meter, Power Meter, Multimeter, and AC Voltage Detector. Featuring a CAT IV-600V safety rating, the PQ2071 measures AC Current, Voltage, Frequency and Power including True Power, Apparent Power, Reactive Power and Active Power.

## **Applications:**

- AC Power Quality evaluation
- Motor/Generator installation and repair
- Energy Audits



## **Features**

- Measures 1-Phase and balanced 3-Phase
   True Power (kW), Apparent Power (kVA),
   Reactive Power (kVAR) and Active Power (kWh),
   plus Power Factor and Phase Angle
- · 2.16" (55mm) clamp jaw opening
- Large dual backlit LCD display (9999 count) with bargraph
- · Built-in non-contact Voltage Detector with LED alert

- · Frequency measurement to 200Hz
- · Manually store/recall up to 99 data sets
- · Data Hold, Max/Min, and Auto power off
- USB interface for connection to a PC for datalogging function with included software
- Complete with test leads, four color-coded leads and alligator clips, USB cable, PC software, 9V battery, and soft case

| Specifications         | Range  | Max Resolution | Basic Accuracy (%rdg) |
|------------------------|--|----------------|-----------------------|
| True Power (W)         | 750kW  | 10W            | ±3%                   |
| Apparent Power(kVA)    | 750kVA   | 10kVA          | ±3%                   |
| Reactive Power (kVAR)  | 750kVAR  | 10VAR          | ±4%                   |
| Active Power (kWh)     | 9999kWh  | 0.001          | ±3%                   |
| Power Factor           | 0.3 to 1   | 0.001          | ±0.02                 |
| Phase Angle (\$\phi\$) | -180 to 180°   | 1°             | ±2°                   |
| AC Current: (Trms)     | 1000A  | 100mA          | ±2%                   |
| AC Voltage: (Trms)     | 750V   | 0.1V           | ±1.2%                 |
| Frequency              | 50Hz to 200Hz  | 1Hz            |                       |
| Dimensions / Weight    | 11.5 x 3.75 x 1.5" (292 x 95 x 38mm) / 18.4oz (522g) |                |                       |
|                        |  |                |                       |



