

OVERVIEW

FEATURES

pumps.

Easy-to-use

■ High Pressure

The ADT 936 Hydraulic High Pressure Test Pump is a hand operated pressure pump designed to generate pressure from -12.5psi (-0.35bar) to 15.000 psi (1000bar). With the patented screw press technology, high pressures can be easily generated, increased and decreased smoothy. A specially designed shut-off valve makes the pressure as stable as possible during calibration. Without non-returning valve that is usually used on troublesome hand pump, the ADT936 requires minimal maintenance. Two hand-tight connectors installed on the pump allow easy connecting and disconnecting to the test pump without the need for PTFE tape or wrenches. The ADT 936 is an ideal comparison test pump for calibrating pressure measuring instruments such as test gauges, indicators or transducers in the laboratory.

Generates pressure up to 15,000 psi (1000 bar)

■ Good for Calibrating Large Chamber Pressure Gauges

reached through repeat pumping.

■ Durable and Minimal Maintenance

With specially designed shut-off valve, high pressure could be

Patented screw press technology, without non-returning

valve inside that is usually used on troublesome hand

High pressures can be generated easily, increased

Patented screw press technology, instead of leaking,

Allows easy connecting and disconnecting to the test pump

troublesome, non-returning hand pumps.

without the need for PTFE tape or wrenches.

Generate 85% vacuum to 15,000psi (1,000bar) pressure



- · Minimal maintenance
- · Increase and decrease pressure smoothly
- Three pressure ports
 Hand-tight connectors

SPECIFICATIONS

■ Media

■ Generated Pressure Range

12.5psi (0.85bar) vacuum to 15,000psi (1,000bar)

positive. Material

Ram/adapters: SST Body: SST/aluminum

body: 55 I/aiu

Seals: Buna-N Connection

Finger-tight connectors for both test gauge and reference gauge.

Test Gauge Connection: 1/4" NPT female.

Reference Gauge Connection: 1/4" NPT female.

■ Dimensions

Height: 9.1" (230 mm)

Base: 20.5" (520 mm) x 14.2" (360 mm)

■ Weight

35.5 lb (16 kg).


ORDERING INFORMATION

and decreased smoothly

■ Extremely Low Leakage

■ Hand-tight Connectors

■ Model Number



■ Optional Accessories

Model number	Description
9201	Oil, Diethylhexyl Sebacate, 1 liter (1 quart)
ADT 103	Adapter and fittings, 1/4" NPT male to various male and female connections.