

105208S Used with FF101 Gasket

151884S Used with FF108, FF221, FF218 Gasket



151940S Used with FF108 Housing Assembly

153516S Used with LF516 Shell Assembly



153518S Used with LF516 Bolt Seal



153519S Support spring for 165286S shell assembly.

153520S Used with LF516, LF509N Washer



153528S Used with LF516 Gasket used with Cummins head and shell combination: ENGINE HEAD SHELL REMARKS NH
153516 Taper
Stop Use with LF516 on the following Cummins head and shell combinations: ENGINE HEAD SHELL REMARKS JC 169652 153516 Taper Stop JC 180066 184386 Positive Stop JC 185614 184386 Positive Stop JC 185616 184386 Positive Stop NH 153516 Taper Stop

153528SB

Overall Height: 0.20 (5)
Largest OD: 5.63 (143)
Largest ID: 5.23 (133)

Bulk package (100) of 153528S.

Overall Height: 0.20 (5)
Largest OD: 5.63 (143)
Largest ID: 5.23 (133)

154711S Used with FF105 Fuel Filter Head



156171S Used with FF105D Fuel Filter Head

159667S Used with LF500, LF750A, LF750B Cover for bypass housing assembly



181592S Used with LF516 Shell and Bolt Assembly



183342S Used with LF516 Element support in housing assembly



193302S Used with LF613 O'ring used the following Cummins head shell combinations: HEAD SHELL 166400 166422 167991 166422 168032 173178 175623 173178 175623 551680 175624 551680 181726 551681 551102 551681



Overall Height: 0.15 (4)
Largest OD: 5.66 (144)
Largest ID: 5.36 (136)

Head used with FF104, FF105, FF213, FS1212 Dual fuel filter head

212013S



215617S Dual water filter head, uses 256535S mounting bracket.



251311S CATERPILLAR 6F9163 Used with LF519 Gasket

Overall Height: 0.12 (3)
Largest OD: 5.44 (138)
Largest ID: 5.20 (132)

Housing used with LF516 Housing assembly

252916S



252917S Used with LF516 Remote mount head for 252916 252916S



253312S Used with LF509N Head



253621S Housing used with LF509N



255622S Used with FF105, FF105D, FS1212, 3837317S, FS1000, FS1001 Composition thread seal gasket



258859S Used with WF2053 Head Assembly



394694S Used with AK17 Hump Hose

16832N

Round Muffler Type 5

- X: YES
- X: PAINT, BLACK
- X:SINGLE: SIDE, OFFSET
- X: 0.00 (0)
- X: 4.10 (104)
- X: 5.00 (127)
- X:TOLERANCED OUTSIDE DIAMETER
- X:TUBE, STRAIGHT
- X:OPPOSITE ENDS
- X: NONE
- X:ALUMINIZED STEEL
- X:SINGLE: END, CENTERED
- X: 0.00 (0)
- X: 6.01 (153)
- X:TOLERANCED INSIDE DIAMETER, SLOT
- X:TUBE, STRAIGHT
- X: 57.90 (1471)
- X: 54.90 (1394)
- X: ROUND
- X: 10.12 (257)
- X: NONE

2355280S Cummins Power Care Head and Filter Assembly

3313095S Used with HF6505, HF6504 Gasket
 Overall Height: 0.27 (7)
 Largest OD: 2.83 (72)
 Largest ID: 2.46 (63)

3323009S Used with FF147, FF146 Optional Gasket
 Overall Height: 0.12 (3)
 Largest ID: 2.99 (76)

3827107S Used with WF2076 Water Filter Head

3831852S Used with FS1232V, FS1253V, FS1253, FS1232 Drain Valve Connector Assembly

3832637S CUMMINS 3284085 Insert

3832879S Used with FF127, HF6118, HF6270, HF6271, LF509N Gasket

3836029AS Used with FS1242B, FS1242K Complete fuel heater installation kit (300 watt/12 volt) **CSA Approved Gaskets Included: 3837316S & 3834185S

3889513S CUMMINS 3889513 Hydraulic Filter Head

3892460 Oberg P100WM Fuel System Service Part

3894971S Used with CH44105 Gasket

3894977S Used with CH44120, CH44105 Clamp

3895540S Replaces ST101106 Hydraulic Filter Head

3895546S Replaces 6700FP17A00 Hydraulic Filter Head

3895593S Replaces 6500BP05A25 Hydraulic Filter Head

3895630S Head and Filter Assembly

3896722S Threaded Adaptor

3905498 CUMMINS 3393983 Fuel Filter Head

3907721S CUMMINS 3944897 Used with LF3970 Hydraulic Filter Head



3914853 Used with 3928013S Head and Filter Assembly

3915264S Used with 3915423S Gasket

3915993S Used with CH44120, CH44115, CH44105, CH44110 Retainer Handle

3915994S Used with CH44120, CH44115, CH44105, CH44110 Orifice, Jet

3915995S Used with CH44105, CH44120, CH44115, CH44110 Nut, Turbine

3916004S Used with CH44115, CH44110 Gasket
 Overall Height: 0.21 (5)
 Largest OD: 7.15 (181)
 Largest ID: 6.73 (171)

3916006S Used with CH44115, CH44110 Clamp

3916150S Used with HF28961 Gasket

3916708S DAF 1297620, M.A.N. 6569362632 Used with HF7999 Service gasket of 3916708
 Overall Height: 0.12 (3)
 Largest OD: 2.96 (75)
 Largest ID: 2.72 (69)

3916911S Used with CH44120, CH44115, CH44105, CH44110 Gasket











3918218S Used with AH19107 4.4" Mounting Band

3919025S CUMMINS 4920120 Gasket
 Overall Height: 0.24 (6)
 Largest OD: 2.76 (70)
 Largest ID: 2.46 (63)

3920175S Used with AP2000 Reducing Adaptor

3928013S Uses service part: 3914853 Used with 3847102S, 3889183S, 3894689S Heater Kit

3928341 Cummins ISB & QSB (750 W/120V) Coolant Heater



3928342 Cummins ISX & Signature Series (1500W/120V) Coolant Heater

3928544S Used with FS19584 WIF Sensor

3928814S CHRYSLER 5015579AC, CUMMINS 3937754 Used with FS19586, FS1258, FS1269 Fuel Housing

3929251S Used with HF6718, HF6733, HF6749, HH6951, HH6954, HH6955, HH6956, HH6959, HH6960, HH6961 Gasket
 Overall Height: 0.19 (5)
 Largest OD: 4.98 (126)
 Largest ID: 4.42 (112)

3931659 Lube Filter 100,000 service interval filter used in LF9667 applications
 Overall Height: 10.39 (264)
 Largest OD: 4.24 (108)
 Largest OD: 3.94 (100)
 Largest OD: 4.24 (108)
 Standpipe: NO
 BPV Setting: 0.00 (0)
 Thread Size: 1 1/8-16 UN-2B

3931660 Lube Filter 100,000 service interval filter used in LF9691A applications
 Overall Height: 12.20 (310)
 Largest OD: 5.34 (136)
 Largest OD: 4.26 (108)
 Largest OD: 5.38 (137)
 Standpipe: NO
 Thread Size: 1 1/2-16 UNS-2B










3931661 Lube Filter 100,000 service interval filter used in LF9620 applications
 Overall Height: 10.32 (262)
 Largest OD: 4.67 (119)
 Largest OD: 4.39 (111)
 Largest OD: 4.74 (120)
 Standpipe: NO
 Thread Size: 1 5/8-12 UNS-2B

3931662 Lube Filter 100,000 service interval filter used in LF9000 applications

3931663 Lube Filter 100,000 service interval filter used in LF9001 applications
 Overall Height: 11.79 (299)
 Largest OD: 4.65 (118)
 Largest OD: 4.68 (119)
 Largest OD: 4.65 (118)
 Standpipe: NO
 BPV Setting: 0.00 (0)
 Thread Size: M95 X 2.5-7H INT

3933037S CHRYSLER 5093122AA Fuel Water Separator Housing

3933344S Gasket
 Overall Height: 0.14 (4)
 Largest OD: 1.64 (42)
 Largest ID: 1.36 (35)



3934300S	CUMMINS 4920119 Thread Adaptor Insert
3934841S	SCANIA 392654 Used with LF3895 Gasket
3935421S	Used with AH19257 Cover Assembly
	
3935422S	Used with AH19266 Cover Assembly
3935621	Head and Filter Assembly
	
3937862	CUMMINS 3966140 Head and Filter Assembly (Uses FS19616 Element)
	
3944777	Head and Filter Assembly used on Cummins Tier 3 (QSB and QSL T3) Engine
3945060S	Used with FH23302, FH23303, FH23304 Cover Assembly
3946951S	Used with FS19624 O-Ring
	
3947136S	CUMMINS 4928763 Thread Adaptor Insert
3947658S	Used with AK15 Hump Hose
3947659S	Used with AK14 Hump Hose
3948239S	Used with FF5421 Gasket is used as a thread seal
3948395S	Overall Height: 0.08 (2) Largest OD: 1.30 (33) Largest ID: 0.78 (20) RACOR RK211131311 Used with FS19532, FS19753, FS19736, FS19551, FS19687, FS1287, FS19734 Replacement Bowl
	
3949066S	OptiAir 700 Series Bracket
	
3951133	Fuel Reservoir Cummins ISB
	Overall Height: 5.58 (142) Largest OD: 3.02 (77) Largest OD: 2.72 (69) Largest OD: 3.01 (76) Standpipe: NO Thread Size: M16 X 1.5-6H INT

3951360S	CUMMINS 4934880 Heater Kit
3954128S	Cover and Support for Sea Pro 7
3954130S	Bowl for Sea Pro 7
3954131S	Drain Valve for Sea Pro 7
3954132S	Sealing Plate for Sea Pro 7
3955168S	SCANIA 1475433 Gasket
3956191	CUMMINS 4939058 Head and Filter Assembly
3956192	CUMMINS 4939059 Head and Filter Assembly
3956193	CUMMINS 4939060 Head and Filter Assembly
3956196	CUMMINS 4934846 Head and Filter Assembly Cummins ISB07
3957300	CUMMINS 4940648 Head and Filter Assembly
3959502S	CHRYSLER 3671076 PCV Mexico only
	
3959505	CUMMINS 4945471 Head and Filter Assembly
3959506S	FORD D9Z26A666A PCV Mexico only
	
3959507S	GMC 6487778 PCV Mexico only
	
3959508S	FORD D90Z6A666A PCV Mexico only
	
3959509S	CHRYSLER 4777240 PCV Mexico only
	
3959510S	Safety Element used with 8995284 PCV Mexico only
	
3959512S	GMC 6487936 PCV Mexico only
	
3959513S	FORD D9Z26A666A PCV Mexico only
	
3959514S	FORD E5ZZ6A666A PCV Mexico only
	

3959515S	GMC 25097214 PCV Mexico only
	
3959517S	FORD D90Z6A666A PCV Mexico only
	
3959518S	GMC 6487778 PCV Mexico only
	
3959519S	NISSAN 1181060U00 PCV Mexico only
	
3959520S	FORD E1DZ6A666A PCV Mexico only
	
3959521S	CHRYSLER 5214088 PCV Mexico only
	
3959522S	HONDA E63Z6A666A PCV Mexico only
	
3959524S	NISSAN 1181057Y00 PCV Mexico only
	
3959525S	CHRYSLER 53041134 PCV Mexico only
	
3959527S	CHRYSLER 53030564 PCV Mexico only
	
3959747S	NISSAN 11810F0500 PCV Mexico only
	
3959961	banded seal gasket
3959962	copper gasket
3959963	aluminium gasket
3960827S	Plastic PSR lid

Air Filters

AF476K	FORD D0HZ9601A For Magnum Version use AF476KM. 3311624 Bolt Seal Included
	Overall Height: 16.50 (419) Fin Diameter: 13.80 (351) End 2 OD: 11.08 (281) End 1 ID: 0.67 (17) End 2 ID: 6.73 (171)

AF885M

FORD D5HZ9601C



Overall Height: 20.96 (532)
End 1 OD: 10.40 (264)
End 2 OD: 10.40 (264)
End 1 ID: 6.05 (154)

AF886


FORD D5HZ9601D For
Magnum Version use AF886M



Gasket: 3312556
Overall Height: 16.00 (406)
End 1 OD: 7.19 (183)
End 1 OD: 10.40 (264)
End 2 OD: 10.40 (264)
End 2 OD: 7.86 (200)
End 1 ID: 6.05 (154)
End 1 ID: 6.05 (154)
End 2 ID: 10.40 (264)

AF930M

FORD D2HZ9601C .250806
Bolt Seal Included



Overall Height: 9.50 (241)
End 1 OD: 12.00 (305)
End 2 OD: 10.23 (260)
End 1 ID: 0.54 (14)
End 2 ID: 4.83 (123)

AF931M

DONALDSON P129472



Gasket: 3309314
Overall Height: 28.90 (734)
End 1 OD: 8.66 (220)
End 2 OD: 5.72 (145)
End 1 ID: 5.21 (132)

AF946M

FORD D6HZ9601B 250806
Bolt Seal Included



Overall Height: 8.23 (209)
End 1 OD: 12.00 (305)
End 2 OD: 10.23 (260)
End 1 ID: 0.54 (14)
End 2 ID: 4.83 (123)

AF951M

FORD D5HZ9601B 3311624
Bolt Seal Included



Overall Height: 16.50 (419)
End 1 OD: 12.08 (307)
End 2 OD: 12.08 (307)
End 1 ID: 7.73 (196)
End 2 ID: 0.67 (17)

AF954M

GMC 68999 Filter used with
AH19099, AH19100



Gasket: 3311160
Overall Height: 28.90 (734)
End 1 OD: 10.40 (264)
End 2 OD: 7.49 (190)
End 1 ID: 6.95 (177)

AF958M

FORD D5HZ9601A



Overall Height: 16.55 (420)
Cover Diameter: 14.12 (359)
End 1 OD: 14.12 (359)
End 2 OD: 12.10 (307)
End 2 ID: 6.69 (170)

AF965

FORD D4HZ9601B



Overall Height: 5.50 (140)
End 1 OD: 12.60 (320)
End 2 OD: 12.60 (320)
End 1 ID: 8.35 (212)
End 2 ID: 8.35 (212)

AF969

VOLVO 347138



Overall Height: 11.40 (290)
Cover Diameter: 9.25 (235)
End 2 OD: 8.39 (213)
End 1 ID: 0.35 (9)
End 2 ID: 4.13 (105)

AF972KM

DONALDSON P132348
Primary Air Filter used with
AF974 3311624 Bolt Seal
Included



Overall Height: 16.57 (421)
Fin Diameter: 15.70 (399)
End 1 OD: 15.70 (399)
End 1 OD: 15.70 (399)
End 2 OD: 12.08 (307)
End 2 OD: 12.08 (307)
End 1 ID: 0.67 (17)
End 1 ID: 0.67 (17)
End 2 ID: 7.73 (196)
End 2 ID: 7.73 (196)

AF1602M

MANN & HUMMEL C23726,
SCANIA 269733



Overall Height: 14.93 (379)
Cover Diameter: 10.98 (279)
End 2 OD: 8.96 (228)
End 1 ID: 0.41 (11)
End 2 ID: 4.60 (117)

AF1754K

FORD D0HZ9601D Complete
With Reusable Lid. For
Element Only Use AF1755.



Overall Height: 10.36 (263)
Cover Diameter: 12.38 (314)
Fin Diameter: 11.47 (291)
End 1 OD: 12.38 (314)
End 2 OD: 9.04 (230)
End 1 ID: 0.54 (14)
End 2 ID: 4.93 (125)
MOTORCRAFT FA1008
250806 Bolt Seal Included

AF1755

Overall Height: 10.61 (269)
End 1 OD: 8.89 (226)
End 2 OD: 8.89 (226)
End 1 ID: 4.98 (127)
End 2 ID: 4.98 (127)

AF1756M

VOLVO 1517842



Overall Height: 12.67 (322)
End 1 OD: 8.39 (213)
End 2 OD: 8.39 (213)
End 1 ID: 4.02 (102)
End 2 ID: 4.02 (102)

AF1798

M.A.N. 81083040024



Overall Height: 15.06 (383)
End 1 OD: 8.98 (228)
End 2 OD: 8.96 (228)
End 2 ID: 4.60 (117)

AF1802


M.A.N. 81083040044 Primary
Air Filter used with AF4523
Seal included.



Overall Height: 18.72 (476)
End 1 OD: 11.88 (302)
End 2 OD: 11.84 (301)
End 1 ID: 7.55 (192)
End 2 ID: 0.41 (11)

AF1804

M.A.N. 81083040039, MANN
& HUMMEL C247001



Overall Height: 19.62 (498)
End 1 OD: 9.56 (243)
End 2 OD: 9.54 (242)
End 2 ID: 5.21 (132)

AF1811

FORD 81DB9601TB



Overall Height: 15.37 (391)
End 1 OD: 7.01 (178)
End 2 OD: 6.06 (154)
End 1 ID: 3.54 (90)
End 2 ID: 0.67 (17)

AF1813

LEYLAND ACU3731



Overall Height: 18.47 (469)
End 1 OD: 8.25 (210)
End 2 OD: 7.24 (184)
End 1 ID: 4.65 (118)
End 2 ID: 0.67 (17)

AF1815

DONALDSON P141284 For
Magnum Version use
AF1815M



Overall Height: 8.05 (204)
End 1 OD: 12.08 (307)
End 2 OD: 12.08 (307)
End 1 ID: 8.69 (221)
End 2 ID: 8.69 (221)

AF1825

COOPERS AZA188T



Overall Height: 18.52 (470)
Cover Diameter: 9.37 (238)
End 2 OD: 8.25 (210)
End 1 ID: 4.65 (118)

AF1841

KAELBLE 34000191,
KHD(KLOCKNER-
HUMBOLDT-DEUTZ)
2243946, VOLVO 4785746
Safety Element used with
AF25065, AF971, AF25043M



Overall Height: 14.96 (380)
End 1 OD: 4.76 (121)
End 2 OD: 4.49 (114)
End 1 ID: 3.92 (100)
End 2 ID: 0.67 (17)

AF1853KM

MOTORCRAFT AFA92
3830497 Bolt Seal Included



Overall Height: 16.44 (418)
Fin Diameter: 15.70 (399)
End 1 OD: 15.70 (399)
End 1 ID: 15.70 (399)
End 2 OD: 12.08 (307)
End 2 ID: 12.08 (307)
End 1 ID: 0.90 (23)
End 1 ID: 0.90 (23)
End 2 ID: 7.73 (196)
End 2 ID: 7.73 (196)
COOPERS AZA250T

AF1867



Overall Height: 19.24 (489)
End 1 OD: 9.96 (253)
End 2 OD: 8.50 (216)
End 1 ID: 6.30 (160)
End 2 ID: 0.69 (18)

AF1868



COOPERS AZA199T

Overall Height: 20.54 (522)
End 1 OD: 11.48 (292)
End 2 OD: 9.21 (234)
End 1 ID: 8.10 (206)
End 2 ID: 0.67 (17)

AF1879



DAF 693099

Overall Height: 14.99 (381)
End 1 OD: 9.88 (251)
End 2 OD: 9.88 (251)
End 1 ID: 5.51 (140)
End 2 ID: 5.51 (140)

AF1880



VOLVO 15178478

Overall Height: 12.67 (322)
End 1 OD: 6.54 (166)
End 2 OD: 6.54 (166)
End 1 ID: 2.99 (76)
End 2 ID: 2.99 (76)

AF1881



RENAULT V.I. 5000560078

Overall Height: 14.83 (377)
End 1 OD: 11.85 (301)
End 2 OD: 8.70 (221)
End 1 ID: 0.49 (13)
End 2 ID: 4.74 (121)

AF1883



FORD 81DB9601DB

Overall Height: 4.33 (110)
End 1 OD: 12.48 (317)
End 2 OD: 12.48 (317)
End 1 ID: 8.54 (217)
End 2 ID: 8.54 (217)

AF1886M



FORD E2HZ9601B 3311624
Bolt Seal Included

Overall Height: 10.50 (267)
End 1 OD: 13.85 (352)
End 2 OD: 13.85 (352)
End 1 ID: 7.44 (189)
End 2 ID: 0.67 (17)

AF1898KM



MOTORCRAFT AFA106
Primary Air Filter used with
AF1899M 3830497 Bolt Seal
Included

Overall Height: 18.52 (470)
Fin Diameter: 15.80 (401)
End 1 OD: 15.80 (401)
End 1 ID: 15.80 (401)
End 2 OD: 13.83 (351)
End 2 ID: 13.83 (351)
End 1 ID: 0.90 (23)
End 1 ID: 0.90 (23)
End 2 ID: 9.48 (241)
End 2 ID: 9.48 (241)

AF1899M



MOTORCRAFT AFA107
Safety Element used with
AF1898KM 3311624 Bolt Seal
Included

Overall Height: 17.14 (435)
End 1 OD: 8.26 (210)
End 1 OD: 8.26 (210)
End 2 OD: 8.26 (210)
End 1 ID: 7.10 (180)
End 1 ID: 7.10 (180)
End 2 ID: 0.67 (17)
End 2 ID: 0.67 (17)
BEDFORD 7972962

AF1914



Overall Height: 14.55 (370)
End 1 OD: 6.44 (164)
End 2 OD: 6.42 (163)
End 2 ID: 3.90 (99)

AF1925K



HINO 178011720

Overall Height: 11.65 (296)
Fin Diameter: 9.09 (231)
End 1 OD: 9.09 (231)
End 2 OD: 7.87 (200)
End 1 ID: 3.94 (100)
End 2 ID: 0.51 (13)

AF1927



LEYLAND ACU3994, E.R.F.
943042

Overall Height: 19.06 (484)
Cover Diameter: 9.41 (239)
End 2 OD: 8.66 (220)
End 1 ID: 5.16 (131)
Thread Size: M10 X 1.5-6H INT

AF1953



IVECO 1901601

Overall Height: 4.96 (126)
End 1 OD: 6.34 (161)
End 2 OD: 6.34 (161)
End 1 ID: 4.49 (114)
End 2 ID: 4.49 (114)


AF1983



FORD E3TZ9601C For
element w/o foam wrap use
AF1731

Overall Height: 5.00 (127)
End 1 OD: 12.51 (318)
End 2 OD: 12.51 (318)
End 1 ID: 8.28 (210)
End 2 ID: 8.28 (210)

AF4044



GMC 7972972

Overall Height: 14.43 (366)
End 1 OD: 7.73 (196)
End 2 OD: 7.71 (196)
End 2 ID: 5.09 (129)

AF4049



GMC 7980474

Height: 1.20 (31)
Length: 4.86 (124)
Width: 12.72 (323)

AF4060



SCANIA 219517 Primary Air
Filter used with AF1843
250806 Bolt Seal Included

Overall Height: 19.59 (497)
End 1 OD: 9.55 (243)
End 1 OD: 9.56 (243)
End 2 OD: 9.56 (243)
End 2 OD: 9.55 (243)
End 1 ID: 5.19 (132)
End 1 ID: 5.20 (132)
End 2 ID: 0.41 (11)
End 2 ID: 0.41 (11)


AF4084



VOLVO 475230

Overall Height: 8.86 (225)
End 1 OD: 13.15 (334)
End 2 OD: 13.15 (334)
End 1 ID: 8.13 (207)


AF4558



VOLVO 16606004 Safety
Element used with AF4559,
AF25294

Overall Height: 19.89 (505)
End 1 OD: 6.12 (156)
End 2 OD: 6.08 (155)
End 1 ID: 0.41 (10)
End 2 ID: 4.91 (125)


AF4559



VOLVO 16606606 Primary Air
Filter used with AF4558

Overall Height: 21.41 (544)
End 1 OD: 10.16 (258)
End 2 OD: 10.12 (257)
End 1 ID: 0.41 (10)
End 2 ID: 6.34 (161)


AF4560



VOLVO 1544449 Primary Air
Filter used with AF4746

Overall Height: 14.43 (366)
End 1 OD: 13.78 (350)
End 2 OD: 13.74 (349)
End 1 ID: 0.41 (10)
End 2 ID: 8.31 (211)

AF4563M



FORD E7HZ9601A

Overall Height: 23.52 (597)
End 1 OD: 7.35 (187)
End 2 OD: 7.32 (186)
End 1 ID: 0.41 (10)
End 2 ID: 5.40 (137)

AF4586 COOPERS AZA413T
 Overall Height: 19.61 (498)
 End 1 OD: 11.50 (292)
 End 2 OD: 10.39 (264)
 End 1 ID: 6.54 (166)
 End 2 ID: 0.67 (17)



AF4624 FORD E7TE9601AC
 Height: 1.70 (43)
 Length: 12.96 (329)
 Width: 5.94 (151)



AF4631 SCANIA 365729
 Overall Height: 18.72 (476)
 Cover Diameter: 14.96 (380)
 End 2 OD: 11.88 (302)
 End 1 ID: 0.41 (11)
 End 2 ID: 7.55 (192)



AF4651 DONALDSON P900691 Safety Element used with AF4650K 3311624 Bolt Seal Included



Overall Height: 13.44 (341)
 End 1 OD: 8.26 (210)
 End 2 OD: 8.26 (210)
 End 1 ID: 7.10 (180)
 End 2 ID: 0.67 (17)

AF4657 RENAULT V.I. 5000814797 Primary Air Filter used with AF4658




Overall Height: 15.34 (390)
 End 1 OD: 12.08 (307)
 End 2 OD: 12.02 (305)
 End 1 ID: 7.73 (196)
 End 2 ID: 0.67 (17)

AF4658 RENAULT V.I. 5000814798 Safety Element used with AF4657, AF25801



Overall Height: 14.44 (367)
 End 1 OD: 8.43 (214)
 End 2 OD: 7.31 (186)
 End 1 ID: 6.23 (158)
 End 2 ID: 0.67 (17)

AF4662 RENAULT V.I. 5000814944



Overall Height: 15.46 (393)
 Cover Diameter: 14.33 (364)
 End 2 OD: 9.92 (252)
 End 1 ID: 0.63 (16)
 End 2 ID: 6.50 (165)

AF4701 HINO 178011960



Overall Height: 9.69 (246)
 End 1 OD: 7.87 (200)
 End 2 OD: 7.87 (200)
 End 1 ID: 3.90 (99)
 End 2 ID: 0.59 (15)

AF4705 HINO 178012200
 Overall Height: 12.75 (324)
 End 1 OD: 8.50 (216)
 End 2 OD: 8.50 (216)
 End 1 ID: 5.39 (137)
 End 2 ID: 0.88 (22)



AF4720 VOLVO 1660619 Primary Air Filter used with AF4644 . 250806 Bolt Seal Included




Overall Height: 14.50 (368)
 End 1 OD: 12.22 (311)
 End 2 OD: 12.19 (310)
 End 1 ID: 0.41 (10)
 End 2 ID: 7.89 (201)

AF4725 SCANIA 395776 Primary Air Filter used with AF4726



Overall Height: 17.19 (437)
 End 1 OD: 12.08 (307)
 End 2 OD: 12.08 (307)
 End 1 ID: 7.73 (196)
 End 2 ID: 0.67 (17)

AF4726 SCANIA 397814 Safety Element used with AF4725



Overall Height: 15.72 (399)
 End 1 OD: 7.59 (193)
 End 2 OD: 6.40 (163)
 End 1 ID: 5.28 (134)
 End 2 ID: 0.67 (17)

AF4727 SCANIA 397813 Safety Element used with AF25066, AF25045M



Overall Height: 14.82 (377)
 End 1 OD: 6.38 (162)
 End 2 OD: 6.10 (155)
 End 1 ID: 5.75 (146)
 End 2 ID: 0.67 (17)

AF4733 ISUZU 8941560520 250806 Bolt Seal Included



Overall Height: 10.57 (268)
 End 1 OD: 7.93 (201)
 End 2 OD: 7.93 (201)
 End 1 ID: 5.33 (135)
 End 2 ID: 0.87 (22)

AF4739 ISUZU 8944302500 3830497 Bolt Seal Included



Overall Height: 13.50 (343)
 End 1 OD: 10.45 (265)
 End 2 OD: 8.70 (221)
 End 1 ID: 9.00 (229)
 End 2 ID: 5.33 (135)

AF4746 VOLVO 1660903 Safety Element used with AF4560



Overall Height: 12.60 (320)
 End 1 OD: 7.76 (197)
 End 2 OD: 7.76 (197)
 End 1 ID: 6.54 (166)
 End 2 ID: 0.39 (10)

AF4749 FORD 87HX9601AA
 Overall Height: 3.74 (95)
 End 1 OD: 9.57 (243)
 End 2 OD: 9.57 (243)
 End 1 ID: 7.24 (184)
 End 2 ID: 7.24 (184)



AF4760 DONALDSON R804518
 Overall Height: 9.15 (232)
 End 1 OD: 2.46 (62)
 End 1 ID: 1.94 (49)
 End 2 ID: 0.66 (17)



AF4772 FORD E7HZ9601B
 Overall Height: 16.55 (420)
 End 1 OD: 10.40 (264)
 End 2 OD: 10.40 (264)
 End 1 ID: 6.05 (154)
 End 2 ID: 0.68 (17)




AF4841 RENAULT V.I. 5010064371 Primary Air Filter used with AF4867 Seal included



Overall Height: 15.60 (396)
 End 1 OD: 12.09 (307)
 End 2 OD: 12.07 (307)
 End 1 ID: 7.74 (197)
 End 2 ID: 0.67 (17)

AF4846 HINO 178012620 Primary Air Filter used with AF4847




Overall Height: 13.46 (342)
 End 1 OD: 9.21 (234)
 End 2 OD: 7.37 (187)
 End 1 ID: 0.67 (17)
 End 2 ID: 4.72 (120)

AF4847 HINO 178012610 Safety Element used with AF4846



Overall Height: 12.09 (307)
 End 1 OD: 0.67 (17)
 End 2 OD: 4.62 (117)
 End 1 ID: 3.51 (89)
 End 2 ID: 4.62 (117)

AF4867 RENAULT V.I. 5010064372 Safety Element used with AF25249M, AF4841, AF4927, AF25284M



Overall Height: 15.00 (381)
 End 1 OD: 7.31 (186)
 End 2 OD: 6.40 (163)
 End 1 ID: 5.28 (134)
 End 2 ID: 0.67 (17)

AF4870M FORD E8HT9600CB



Overall Height: 7.69 (195)
 End 1 OD: 13.85 (352)
 End 2 OD: 13.85 (352)
 End 1 ID: 7.44 (189)
 End 2 ID: 0.67 (17)

AF4895 VOLVO 15868821



Overall Height: 3.64 (93)
End 1 OD: 3.47 (88)
End 2 OD: 3.31 (84)
End 1 ID: 0.83 (21)

AF4918 FORD 88VB9601AA



Height: 2.28 (58)
Length: 8.90 (226)
Width: 9.45 (240)

AF4927 DONALDSON P103988
Primary Air Filter used with
AF4867 Seal included



Overall Height: 15.41 (392)
End 1 OD: 11.08 (281)
End 2 OD: 11.08 (281)
End 1 ID: 6.73 (171)
End 2 ID: 0.67 (17)

AF4967 MOTORCRAFT FA11116



Overall Height: 13.88 (353)
End 1 OD: 7.38 (187)
End 2 OD: 7.38 (187)
End 1 ID: 5.38 (137)
End 2 ID: 0.39 (10)

AF4968 DAF 393561 Seal included



Overall Height: 14.81 (376)
End 1 OD: 9.54 (242)
End 2 OD: 9.54 (242)
End 1 ID: 5.21 (132)
End 2 ID: 0.41 (11)

AF4984 RENAULT V.I. 5000814696
Primary Air Filter used with
AF25061 Seal included



Overall Height: 16.45 (418)
Cover Diameter: 14.73 (374)
End 2 OD: 11.69 (297)
End 2 ID: 7.46 (190)

AF4993 DAF 192057 Seal included



Overall Height: 8.64 (220)
End 1 OD: 5.24 (133)
End 2 OD: 5.24 (133)
End 1 ID: 2.82 (72)
End 2 ID: 0.67 (17)

AF25007 VOLVO 6888848



Overall Height: 16.70 (424)
End 1 OD: 14.38 (365)
End 2 OD: 14.38 (365)
End 1 ID: 8.27 (210)
End 2 ID: 0.40 (10)

AF25022 MERCEDES-BENZ 30947004
Seal included.



Overall Height: 18.95 (481)
End 1 OD: 12.89 (327)
End 2 OD: 12.89 (327)
End 1 ID: 7.66 (195)
End 2 ID: 0.41 (11)

AF25044M DAF 265045 Primary Air Filter
used with AF1840



Overall Height: 14.81 (376)
End 1 OD: 7.78 (198)
End 2 OD: 7.78 (198)
End 1 ID: 4.08 (104)
End 2 ID: 0.34 (9)

AF25045M DAF 667078 Primary Air Filter
used with AF4727



Overall Height: 14.81 (376)
End 1 OD: 11.88 (302)
End 2 OD: 11.84 (301)
End 1 ID: 7.55 (192)
End 2 ID: 0.41 (11)

AF25061 RENAULT V.I. 5000814947
Safety Element used with
AF4984



Overall Height: 14.76 (375)
End 1 OD: 7.40 (188)
End 2 OD: 7.40 (188)
End 1 ID: 6.30 (160)
End 2 ID: 0.57 (15)

AF25064 SCANIA 218989 Primary Air
Filter used with AF1840



Overall Height: 14.81 (376)
End 1 OD: 7.78 (198)
End 2 OD: 7.78 (198)
End 1 ID: 4.08 (104)
End 2 ID: 0.34 (9)

AF25066 SCANIA 395773 Primary Air
Filter used with AF4727 except
for Daf-use AF25045M. Seal
included



Overall Height: 14.94 (379)
End 1 OD: 11.89 (302)
End 2 OD: 11.84 (301)
End 1 ID: 7.56 (192)
End 2 ID: 0.41 (11)

AF25075 VOLKSWAGEN 2VC129619
Mexico only



AF25086 Ford Cargo



AF25087 LEYLAND ACU8456 Seal
included




Overall Height: 14.54 (369)
End 1 OD: 11.08 (281)
End 2 OD: 11.08 (281)
End 1 ID: 6.73 (171)
End 2 ID: 0.67 (17)

AF25197

AF25198

AF25215 FORD F3HZ9602A Safety
Element used with AF4878



Overall Height: 12.01 (305)
End 1 OD: 5.20 (132)
End 2 OD: 4.96 (126)
End 1 ID: 3.70 (94)

AF25230 M.A.N. 81083040066 Safety
Element used with AF25062



Overall Height: 23.98 (609)
End 1 OD: 8.31 (211)
End 2 OD: 7.95 (202)
End 1 ID: 7.48 (190)
End 2 ID: 0.67 (17)

AF25231 HINO 178012440



Overall Height: 11.02 (280)
End 1 OD: 7.48 (190)
End 2 OD: 7.48 (190)
End 1 ID: 0.89 (23)

AF25237 DAF 754718 Magnum RS
version




Overall Height: 16.56 (421)
End 1 OD: 9.65 (245)
End 2 OD: 9.53 (242)
End 1 ID: 4.98 (127)

AF25238 VOLVO 1665898 Primary Air
Filter used with AF25317
Magnum RS version



Overall Height: 16.61 (422)
Cover Diameter: 15.95 (405)
End 2 OD: 12.91 (328)
End 2 ID: 7.84 (199)

AF25239 VOLVO 16659088 Primary Air
Filter used with AF25317
Magnum RS version



Overall Height: 16.52 (420)
Cover Diameter: 16.89 (429)
End 2 OD: 13.78 (350)
End 2 ID: 7.80 (198)

AF25246 IVECO 1908234
 Overall Height: 9.88 (251)
 End 1 OD: 6.10 (155)
 End 2 OD: 6.10 (155)
 End 1 ID: 3.07 (78)



AF25250 RENAULT V.I. 5000814957
 Safety Element used with AF25285



Overall Height: 13.23 (336)
 End 1 OD: 7.40 (188)
 End 2 OD: 7.40 (188)
 End 1 ID: 0.56 (14)
 End 2 ID: 6.30 (160)

AF25251 RENAULT V.I. 5000814950
 Safety Element used with AF25285



Overall Height: 12.76 (324)
 End 1 OD: 7.01 (178)
 End 2 OD: 7.01 (178)
 End 1 ID: 6.10 (155)
 End 2 ID: 6.10 (155)

AF25252 RENAULT V.I. 5000294118
 Renault AE cabins



Height: 1.97 (50)
 Length: 10.67 (271)
 Width: 11.30 (287)

AF25260 IVECO 1908233
 Overall Height: 13.50 (343)
 End 1 OD: 6.10 (155)
 End 2 OD: 6.10 (155)
 End 1 ID: 3.19 (81)



AF25264 M.A.N. 81083040083 Primary
 Air Filter used with AF25615
 Magnum RS Version



Overall Height: 19.00 (483)
 End 1 OD: 11.87 (302)
 End 2 OD: 11.93 (303)
 End 1 ID: 6.69 (170)

AF25284M RENAULT V.I. 5010317060
 Primary Air Filter used with
 AF4867, AF820M



Overall Height: 18.73 (476)
 End 1 OD: 12.09 (307)
 End 2 OD: 12.07 (307)
 End 1 ID: 7.74 (197)
 End 2 ID: 0.67 (17)

AF25285 RENAULT V.I. 5000814945
 Primary Air Filter used with
 AF25250, AF25251



Overall Height: 14.68 (373)
 Cover Diameter: 14.33 (364)
 End 2 OD: 11.02 (280)
 End 1 ID: 0.63 (16)
 End 2 ID: 7.48 (190)

AF25293M PEGASO 171686
 Overall Height: 20.52 (521)
 End 1 OD: 12.08 (307)
 End 2 OD: 12.02 (305)
 End 1 ID: 7.73 (196)
 End 2 ID: 0.67 (17)
 VOLVO 16655631 Primary Air
 Filter used with AF4558



AF25294
 Overall Height: 21.64 (550)
 Cover Diameter: 12.32 (313)
 End 2 OD: 10.12 (257)
 End 2 ID: 6.34 (161)



AF25313 SCANIA 1335678 Primary Air
 Filter used with AF25969
 Magnum RS version



Overall Height: 20.65 (525)
 End 1 OD: 11.87 (302)
 End 2 OD: 11.93 (303)
 End 1 ID: 6.69 (170)

AF25314 SCANIA 1335679 Magnum RS
 Version



Overall Height: 17.46 (444)
 End 1 OD: 11.87 (302)
 End 2 OD: 11.93 (303)
 End 1 ID: 6.69 (170)

AF25317 VOLVO 1665937 Safety
 Element used with AF25238,
 AF25239, AF25632 On Volvo
 Model FH12 use AF25238 -
 On Volvo Model FH16 use
 AF25239



Overall Height: 17.64 (448)
 End 1 OD: 7.97 (203)
 End 2 OD: 7.68 (195)
 End 1 ID: 6.69 (170)
 VOLKSWAGEN 44129620

AF25320
 Overall Height: 9.33 (237)
 End 1 OD: 6.42 (163)
 End 2 OD: 6.42 (163)
 End 1 ID: 3.66 (93)
 End 2 ID: 3.66 (93)



AF25333 RENAULT V.I. 5010230841
 Primary Air Filter used with
 AF25634 Magnum RS Version




Overall Height: 18.25 (464)
 End 1 OD: 12.21 (310)
 End 2 OD: 12.21 (310)
 End 1 ID: 7.07 (180)

AF25345 DONALDSON P527683 Safety
 Element used with AF25139M
 Magnum RS Version



Overall Height: 14.45 (367)
 End 1 OD: 6.89 (175)
 End 2 OD: 6.75 (172)
 End 1 ID: 5.28 (134)

AF25382 RENAULT V.I. 5010230916
 Primary Air Filter used with
 AF25439 Magnum RS Version
 Overall Height: 21.77 (553)
 End 1 OD: 12.21 (310)
 End 2 OD: 12.21 (310)
 End 1 ID: 7.07 (180)



AF25392 NISSAN 165460T006
 Overall Height: 7.99 (203)
 End 1 OD: 7.95 (202)
 End 2 OD: 2.68 (68)
 End 1 ID: 4.94 (126)



AF25415 HINO 178012810
 Overall Height: 18.49 (470)
 End 1 OD: 9.21 (234)
 End 2 OD: 9.21 (234)
 End 1 ID: 4.86 (123)
 End 2 ID: 0.67 (17)



AF25416 HINO 178013000 Primary Air
 Filter used with AF25638



Overall Height: 13.61 (346)
 End 1 OD: 9.38 (238)
 End 2 OD: 9.23 (234)
 End 1 ID: 5.89 (150)
 End 2 ID: 5.21 (132)

AF25426 DAF 1317409 Magnum RS
 Version
 Overall Height: 19.04 (484)
 End 1 OD: 11.06 (281)
 End 2 OD: 11.06 (281)
 End 1 ID: 5.91 (150)



AF25427 MERCEDES-BENZ 30949104
 Overall Height: 12.53 (318)
 End 1 OD: 16.54 (420)
 End 2 OD: 16.52 (420)
 End 1 ID: 10.02 (255)
 End 2 ID: 0.41 (11)



AF25428 MERCEDES-BENZ 30949204
 Overall Height: 10.30 (262)
 End 1 OD: 16.54 (420)
 End 2 OD: 16.52 (420)
 End 1 ID: 10.02 (255)
 End 2 ID: 0.41 (11)



AF25435 VOLVO 8076195
 Gasket: 256464 (1)
 Overall Height: 16.50 (419)
 End 1 OD: 13.09 (332)
 End 1 ID: 7.69 (195)



AF25437



DAF 1295090, INGERSOLL-RAND 85400737 Primary Air Filter used with AF25523 Magnum RS version

Overall Height: 20.65 (525)
End 1 OD: 11.06 (281)
End 2 OD: 11.06 (281)
End 1 ID: 5.91 (150)

AF25439



RENAULT V.I. 5010269584 Safety Element used with AF25382 Magnum RS version

Overall Height: 21.06 (535)
End 1 OD: 7.05 (179)
End 2 OD: 6.81 (173)
End 1 ID: 5.39 (137)

AF25450



HINO 178012910, HINO 178012830

Overall Height: 14.45 (367)
End 1 OD: 10.91 (277)
End 2 OD: 10.91 (277)
End 1 ID: 6.50 (165)

AF25451



HINO 178012820, HINO 178012730

Overall Height: 13.39 (340)
End 1 OD: 9.06 (230)
End 2 OD: 9.06 (230)
End 1 ID: 4.76 (121)

AF25476



MERCEDES-BENZ 40940204 Primary Air-Magnum RS Version

Overall Height: 16.12 (410)
End 1 OD: 13.58 (345)
End 2 OD: 10.98 (279)
End 2 ID: 4.92 (125)

AF25478



LEYLAND ACHD040 Magnum RS Version

Overall Height: 20.91 (531)
End 1 OD: 8.19 (208)
End 2 OD: 8.19 (208)
End 1 ID: 4.17 (106)

AF25569



TOYOTA 1780123020 Outside/in flow

Overall Height: 4.13 (105)
End 1 OD: 6.42 (163)
End 2 OD: 6.42 (163)
End 1 ID: 2.99 (76)
End 2 ID: 2.99 (76)

AF25634



RENAULT V.I. 5010317187 Safety Element used with AF25333

Overall Height: 17.52 (445)
End 1 OD: 7.05 (179)
End 2 OD: 6.81 (173)
End 1 ID: 5.39 (137)

AF25688



Overall Height: 16.38 (416)
End 1 OD: 15.11 (384)
End 2 OD: 11.10 (282)
End 2 ID: 6.64 (169)

AF25694



INTERNATIONAL TRUCKS 3507421C1

Overall Height: 23.50 (597)
End 1 OD: 9.65 (245)
End 2 OD: 9.25 (235)
End 2 ID: 5.13 (130)

AF25723



KHD(KLOCKNER-HUMBOLDT-DEUTZ) 1180867 Primary Air Filter used with AF25724 Radial Seal

Overall Height: 15.79 (401)
End 1 OD: 7.69 (195)
End 2 OD: 7.64 (194)
End 2 ID: 4.49 (114)

AF25952M



Is a longer version of AF25525

Overall Height: 25.45 (646)
End 1 OD: 9.32 (237)
End 2 OD: 9.23 (234)
End 1 ID: 5.78 (147)

AF25955



BALDWIN RS4572 Has the same design features as the AF25248 except it is 4 inches shorter.

Overall Height: 22.14 (562)
End 1 OD: 12.92 (328)
End 2 OD: 12.80 (325)
End 1 ID: 7.46 (189)

AF25996



AF25997



VOLKSWAGEN 2S0129620 Mexico only

AF26114



CASE 249988A1 Safety Element used with AF25667 Freightliner Truck Class 7 Model FL70 & FL80 Class

Overall Height: 18.43 (468)
End 1 OD: 5.20 (132)
End 2 OD: 4.96 (126)
End 1 ID: 3.70 (94)

AF26163M



VOLVO 20411815 Primary Air Filter used with AF26212 Applied on Volvo Trucks with Cummins ISX engine.

Overall Height: 19.52 (496)
End 1 OD: 13.05 (331)
End 2 OD: 12.90 (328)
End 1 ID: 9.21 (234)

AF26173



AF26204



IVECO 2992374 Primary Air Filter used with AF26245 Flame Retardant Media

Overall Height: 19.01 (483)
End 1 OD: 12.89 (327)
End 2 OD: 12.89 (327)
End 1 ID: 8.58 (218)
End 2 ID: 0.41 (11)

AF26211



VOLKSWAGEN 2S0129620A Mexico only, Secondary Element: AF25997

AF26212



VOLVO 20411816 Safety Element used with AF26163M

Overall Height: 18.46 (469)
End 1 OD: 8.38 (213)

AF26233

Special PLALLOY Industrial Applications. Is AF4084 w/o gasket

Overall Height: 8.66 (220)
End 1 OD: 13.15 (334)
End 2 OD: 13.15 (334)
End 1 ID: 8.13 (207)
VOLVO PENTA 3827643

AF26249

Overall Height: 19.11 (486)
End 1 OD: 11.93 (303)
End 2 OD: 11.93 (303)
End 1 ID: 7.24 (184)
KUBOTA T027016321

AF26250

Overall Height: 9.63 (245)
End 1 OD: 4.29 (109)
End 2 OD: 4.29 (109)
End 1 ID: 2.26 (58)
J.C.B. 32210101

AF26275



Overall Height: 15.51 (394)
End 1 OD: 8.47 (215)
End 2 OD: 8.47 (215)
End 1 ID: 4.69 (119)

AF26284

CASE 47107867

Overall Height: 15.04 (382)
End 1 OD: 8.19 (208)
End 2 OD: 8.19 (208)
End 1 ID: 3.98 (101)


AF26298

CHRYSLER 53032404AA Mexico only


Height: 1.70 (43)
Length: 13.78 (350)
Width: 9.33 (237)

AF26299	GMC 97039002 Mexico only
	Height: 0.00 (0) Length: 12.11 (308) Width: 0.00 (0)
AF26301	CHRYSLER 4306393 Mexico only
	Overall Height: 2.72 (69) End 1 OD: 10.00 (254) End 2 OD: 10.00 (254) End 1 ID: 7.48 (190) End 2 ID: 7.48 (190)
AF26302	GMC 93425428 Mexico Only
	Overall Height: 3.44 (87) End 1 OD: 11.61 (295) End 2 OD: 11.61 (295) End 1 ID: 9.80 (249) End 2 ID: 9.80 (249)
AF26303	FORD F50Y9601A Mexico only
	Overall Height: 7.91 (201) End 1 OD: 8.15 (207) End 1 ID: 4.25 (108)
AF26304	FORD D3ZZ9601A Mexico only
	Overall Height: 1.97 (50) End 1 OD: 10.63 (270) End 2 OD: 10.63 (270) End 1 ID: 9.09 (231) End 2 ID: 9.09 (231)
AF26305	GMC 25050385 Mexico only
	Overall Height: 2.26 (57) End 1 OD: 8.07 (205) End 2 OD: 8.07 (205) End 1 ID: 9.65 (245) End 2 ID: 9.65 (245)
AF26306	FORD E7TZ9601B Mexico only
	Height: 1.72 (44) Length: 12.68 (322) Width: 5.81 (148)
AF26307	CHRYSLER 53004383 Mexico only
	Height: 1.54 (39) Length: 13.39 (340) Width: 6.61 (168)
AF26308	GMC 25313348 Mexico only
	Height: 2.28 (58) Length: 12.28 (312) Width: 9.72 (247)
AF26309	GMC 25098463 Mexico only
	Height: 1.67 (42) Length: 11.50 (292) Width: 5.91 (150)
AF26310	FORD F57Z9601A Mexico only
	Overall Height: 7.85 (199) End 1 OD: 8.93 (227) End 1 ID: 3.11 (79)
AF26311	FORD F77Z9601AA Mexico only
	Height: 2.20 (56) Length: 8.77 (223) Width: 7.56 (192)

AF26312	GMC 8991386 Mexico only
	Overall Height: 2.26 (57) End 1 OD: 8.07 (205) End 2 OD: 8.07 (205) End 1 ID: 9.69 (246) End 2 ID: 9.69 (246)
AF26313	FORD E9SZ9601A Mexico only
	Height: 1.46 (37) Length: 9.57 (243) Width: 9.57 (243)
AF26314	GMC 25042562 Mexico only
	Height: 1.74 (44) Length: 16.00 (406) Width: 7.95 (202)
AF26315	GMC 15998574 Mexico only
	Overall Height: 11.18 (284) End 1 OD: 6.48 (165) End 2 OD: 6.48 (165) End 1 ID: 3.60 (91)
AF26316	CHRYSLER 3614353 Mexico only
	Overall Height: 3.58 (91) End 1 OD: 10.51 (267) End 2 OD: 10.51 (267) End 1 ID: 8.56 (217) End 2 ID: 8.56 (217)
AF26317	JEEP 948516 Mexico only
	Overall Height: 3.50 (89) End 1 OD: 9.76 (248) End 1 ID: 0.00 (0) End 2 ID: 0.00 (0)
AF26318	FORD XC3Z9601AA Mexico only
	Height: 2.48 (63) Length: 13.40 (340) Width: 7.24 (184)
AF26319	GMC 25168082 Mexico only
	Overall Height: 11.14 (283) End 1 OD: 7.90 (201) End 2 OD: 7.90 (201) End 1 ID: 3.69 (94)
AF26320	NISSAN 1654618000 Mexico only
	Overall Height: 2.01 (51) End 1 OD: 8.88 (226) End 2 OD: 8.88 (226) End 1 ID: 6.93 (176) End 2 ID: 6.93 (176)
AF26321	NISSAN 16546V0100 Mexico only
	Height: 1.30 (33) Length: 11.02 (280) Width: 6.61 (168)
AF26322	NISSAN 16546VW600 Mexico only
	Overall Height: 11.51 (292) End 1 OD: 4.86 (123) End 2 OD: 4.86 (123) End 1 ID: 3.25 (83) End 2 ID: 0.67 (17)

AF26323	NISSAN 1654686G00 Mexico only
	Overall Height: 2.33 (59) End 1 OD: 12.80 (325) End 2 OD: 0.00 (0) End 1 ID: 0.00 (0) End 2 ID: 0.00 (0)
AF26324	Mexico only
	Height: 1.46 (37) Length: 11.42 (290) Width: 9.69 (246)
AF26327	M.A.N. 81084050018
	Overall Height: 17.89 (455) End 1 OD: 10.04 (255) End 2 OD: 10.04 (255) End 1 ID: 5.10 (130)
AF26330	DONALDSON P537355
	Overall Height: 24.61 (625) Flange Diameter: 0.00 (0) End 1 OD: 9.64 (245) End 2 OD: 9.33 (237) End 1 ID: 5.15 (131) End 2 ID: 0.00 (0)
AF26336	JOHN DEERE RE210102 Safety Element used with AF26337
	Overall Height: 11.73 (298) End 1 OD: 7.17 (182) End 2 OD: 7.11 (181) End 1 ID: 5.79 (147)
AF26337	JOHN DEERE RE210103 Primary Air Filter used with AF26336
	Overall Height: 12.67 (322) End 1 OD: 12.13 (308) End 2 OD: 12.13 (308) End 1 ID: 7.85 (199)

Air Housings

AH8500	Outside/In Flow only..
	Overall Height: 25.98 (660) None: 11.65 (296) Largest housing OD: 9.76 (248) End Connection Height: 1.61 (41) End Connection OD: 5.98 (152) Side Connection Loc: 5.50 (140) Side Connection OD: 5.98 (152)
AH8742	CUMMINS POWER GENERATION LTD 1403550

Cooling System Aids

CC2718	Quik-Chek Condemnation bottle of 10 Test Strips
---------------	---

ConeStaC

CS41000	MACK 57GC286 Filter used with 485GB3219D ConeStaC for Centrifugal By-Pass Filters
	Overall Height: 4.98 (127) Overall OD: 3.85 (98)

CS41005 MACK 236GB245M Used with CH41100



Overall Height: 4.98 (127)
Overall OD: 3.85 (98)

CS41008 Disposable Centrifuge Rotor



Overall Height: 5.78 (147)
Overall OD: 3.88 (99)

CV50601 CUMMINS 3683918 OCV Element Assembly used on Cummins ISX/ISM engines.

Fuel Filters

FF231 DAF 247139, KHD(KLOCKNER-HUMBOLDT-DEUTZ) 1164620, IVECO 1164620



Overall Height: 5.59 (142)
Largest OD: 3.68 (94)
Largest OD: 2.76 (70)
Largest OD: 3.68 (94)
Standpipe: NO
Thread Size: M16 X 1.5-6H INT

FF4070 MANN & HUMMEL WK9624, DAF 247138 For Stratapore version, use FF5313



Overall Height: 8.29 (211)
Largest OD: 3.70 (94)
Largest OD: 2.76 (70)
Largest OD: 3.68 (94)
Standpipe: NO
Thread Size: M16 X 1.5-6H INT

FF5018 VOLVO 243004, KHD(KLOCKNER-HUMBOLDT-DEUTZ) Q1H4117 Filter used with 3311505S For Stratapore version, use FF5461 For Upgrade, use FS1221 Product is not available in all regions of the world.



Overall Height: 4.92 (125)
Largest OD: 3.05 (78)
Largest OD: 2.76 (70)
Largest OD: 3.05 (78)
Standpipe: YES
Thread Size: M16 X 1.5-6H INT

FF5030 ISUZU H132401, INGERSOLL-RAND 85448454 Product is not available in all regions of the world.



Overall Height: 3.49 (89)
Largest OD: 2.99 (76)
Largest OD: 2.84 (72)
Largest OD: 3.05 (77)
Standpipe: NO
Thread Size: 3/4-16 UNF-2B

FF5033 GMC 25011214 Product is not available in all regions of the world.



FF5048 PURFLUX CS156, RENAULT V.I. 5000240934



Overall Height: 4.06 (103)
End 1 OD: 3.48 (89)
End 2 OD: 3.33 (85)
End 1 ID: 0.91 (23)

FF5049 RENAULT V.I. 7701016560



Overall Height: 2.80 (71)
End 1 OD: 3.48 (89)
End 2 OD: 3.33 (85)
End 1 ID: 0.91 (23)

FF5050 M.A.N. A0854975700



Overall Height: 1.97 (50)
End 1 OD: 2.56 (65)
End 2 OD: 2.56 (65)
End 1 ID: 0.55 (14)

FF5052 CUMMINS 3903640, VOLVO 36845, CUMMINS 3931063, CUMMINS 3931065 Filter used with 3311505S For Upgrade, use FS1251 Product is not available in all regions of the world.



Gasket: 3311919
Overall Height: 4.59 (117)
Largest OD: 3.03 (77)
Largest OD: 2.76 (70)
Largest OD: 3.03 (77)
Standpipe: YES
Thread Size: M16 X 1.5-6H INT
NISSAN 1644429000

FF5070 Gasket: 3830675, 3830676
Overall Height: 3.54 (90)
End 1 OD: 2.83 (72)
End 2 OD: 2.83 (72)
End 1 ID: 0.75 (19)



FF5074 RENAULT V.I. 5000814227 For Stratapore version, use FF5442 Product is not available in all regions of the world.



Overall Height: 4.92 (125)
Largest OD: 3.05 (78)
Largest OD: 2.76 (70)
Largest OD: 3.05 (78)
Standpipe: NO
Thread Size: M16 X 1.5-6H INT

FF5095 FORD E6HZ9365A Product is not available in all regions of the world.



Gasket: 3311919

FF5113 KHD(KLOCKNER-HUMBOLDT-DEUTZ) 1174691 Product is not available in all regions of the world.



Gasket: 330818
Overall Height: 3.19 (81)
Largest OD: 3.05 (78)
Largest OD: 2.76 (70)
Largest OD: 3.05 (78)
Standpipe: NO
Thread Size: M16 X 1.5-6H INT

FF5135 V.A.G. (VOLKSWAGEN, AUDI) 68127177 For Stratapore version, use FS19599 Product is not available in all regions of the world.



Overall Height: 6.14 (156)
Largest OD: 3.03 (77)
Largest OD: 2.76 (70)
Largest OD: 3.03 (77)
Standpipe: NO
Thread Size: M16 X 1.5-6H INT
HINO 234011410

FF5138 Overall Height: 3.98 (101)
Largest OD: 3.17 (81)
Largest OD: 2.52 (64)
Largest OD: 3.32 (84)
Standpipe: NO
Thread Size: 3/4-16 UNF-2B



FF5159 Overall Height: 5.43 (138)
Largest OD: 3.41 (87)
Largest OD: 2.48 (63)
Largest OD: 3.70 (94)
Standpipe: NO
End 1 OD: 3.70 (94)
Thread Size: 3/4 - 16 UNF-2B



FF5167 RENAULT V.I. 5000686590, RENAULT V.I. 5000686589 High performance version of FF5074



Overall Height: 4.92 (125)
Largest OD: 3.05 (78)
Largest OD: 2.76 (70)
Largest OD: 3.05 (78)
Standpipe: NO
Thread Size: M16 X 1.5-6H INT

FF5171 CASE 1967094C1 Product is not available in all regions of the world.



Overall Height: 6.34 (161)
Largest OD: 3.01 (76)
Largest OD: 2.83 (72)
Largest OD: 3.05 (77)
Standpipe: NO
Thread Size: M16 X 1.5-6H INT

FF5226 KUBOTA 1522143080 Product is not available in all regions of the world.



Gasket: 3848018
 Overall Height: 3.09 (78)
 Largest OD: 2.99 (76)
 Largest OD: 2.82 (72)
 Largest OD: 3.03 (77)
 Standpipe: NO
 Thread Size: M20 X 1.5-6H INT

FF5272 VOLVO 420799, VOLVO 8193841 For Stratapore version, use FF5443 High efficiency



Overall Height: 8.27 (210)
 Largest OD: 3.68 (94)
 Largest OD: 2.76 (70)
 Largest OD: 3.68 (94)
 Standpipe: NO
 Thread Size: M18 X 1.5-6H INT
 SCANIA 1372444

FF5297

Overall Height: 5.59 (142)
 Largest OD: 3.68 (94)
 Largest OD: 2.76 (70)
 Largest OD: 3.68 (94)
 Standpipe: NO
 Thread Size: M24 X 1.5-6H INT



FF5298 DAF 1318695 Filter used with 3918190S For Stratapore version, use FF5313



Overall Height: 5.61 (143)
 Largest OD: 3.70 (94)
 Largest OD: 2.76 (70)
 Largest OD: 3.70 (94)
 Standpipe: NO
 Thread Size: M16 X 1.5-6H INT

FF5312 V.A.G. (VOLKSWAGEN, AUDI) 191127401A



Overall Height: 6.85 (174)
 Largest OD: 3.15 (80)
 Largest OD: 3.47 (88)
 Standpipe: YES
 Thread Size: NO

FF5313 DAF 1309511 Stratapore version of FF4070, FF5298 High efficiency



Overall Height: 8.31 (211)
 Largest OD: 3.70 (94)
 Largest OD: 2.76 (70)
 Largest OD: 3.70 (94)
 Standpipe: NO
 Thread Size: M16 X 1.5-6H INT

FF5367 MITSUBISHI ME056670



Overall Height: 6.91 (176)
 Largest OD: 3.67 (93)
 Largest OD: 3.47 (88)
 Largest OD: 3.69 (94)
 Standpipe: NO
 Thread Size: M24 X 1.5-6H INT

FF5422 KHD(KLOCKNER-HUMBOLDT-DEUTZ) 1174696 Is a short version of FF5040 Product is not available in all regions of the world.



Overall Height: 3.22 (82)
 Largest OD: 2.99 (76)
 Largest OD: 2.64 (67)
 Thread Size: M16 X 1.5 - 6H

FF5647 MERCEDES-BENZ 6110920101, MERCEDES-BENZ A6110920101

FF5659



Overall Height: 4.78 (122)
 Largest OD: 3.41 (87)
 Largest OD: 3.58 (91)
 Standpipe: NO
 Thread Size: NONE
 CHRYSLER 4864307 Mexico only

FF5660



Overall Height: 1.61 (41)
 End 1 OD: 0
 End 2 OD: 0
 End 1 ID: 3.27 (83)
 FORD 88TY9155AA Mexico only

FF5661

Overall Height: 3.03 (77)
 Inlet Connection: 1/2-20
 Outlet Connection: 1/2-20
 Largest element OD: 1.65 (42) Mexico only



FF5662



Overall Height: 6.30 (160)
 Inlet Connection: 5/16 3/8
 Outlet Connection: 5/16
 Largest element OD: 2.13 (54) Mexico only

FF5663



Overall Height: 3.11 (79)
 Inlet Connection: 3/8
 Outlet Connection: M16X1.5
 Largest element OD: 2.17 (55)
 CHRYSLER 52025447 Mexico only

FF5664



Overall Height: 3.74 (95)
 Inlet Connection: 1/4
 Outlet Connection: 3/8
 Largest element OD: 2.99 (76)
 CHRYSLER 52004611 Mexico only

FF5665



Overall Height: 5.47 (139)
 Inlet Connection: 5/16
 Outlet Connection: 5/16
 Largest element OD: 2.17 (55)
 GMC 25055046 Mexico only

FF5666



Overall Height: 4.33 (110)
 Inlet Connection: M16X1.5-6H
 Outlet Connection: M16X1.5-6H
 Largest element OD: 2.17 (55)
 FORD F0T29155B Mexico only

FF5667



Overall Height: 6.73 (171)
 Inlet Connection: 5/16
 Outlet Connection: 5/16
 Largest element OD: 2.99 (76)
 CHRYSLER 7680997 Mexico only

FF5668




Overall Height: 4.49 (114)
 : 5/16",30,,,
 Largest element OD: 1.91 (49)
 FORD F0TE9155AA Mexico only

Overall Height: 7.09 (180)
 : 5/16",30,,,
 Largest element OD: 2.01 (51)

FF5669 Mexico only



Overall Height: 3.98 (101)
 Inlet Connection: 5/16
 Outlet Connection: 5/16
 Largest element OD: 1.65 (42)
 GMC 25055117 Mexico only



FF5670

Overall Height: 1.93 (49)
 Inlet Connection: 1/8
 Outlet Connection: 1/2
 Largest element OD: 1.10 (28)
 GMC 25176294 Mexico only.



FF5671

Overall Height: 4.92 (125)
 Inlet Connection: 5/16
 Outlet Connection: 5/16
 Largest element OD: 2.87 (73)
 CHRYSLER 4186209 Mexico only



FF5672

Overall Height: 4.02 (102)
 Inlet Connection: 5/16
 Outlet Connection: 5/16
 Largest element OD: 1.65 (42)
 GMC 25121468 Mexico only



FF5673

Overall Height: 6.38 (162)
 : 3/8",30,,,
 Largest element OD: 2.17 (55)
 FORD C4AZ9365A Mexico only



FF5674

Overall Height: 3.54 (90)
 End 1 OD: 0
 End 2 OD: 0
 GMC 25055052 Mexico only



FF5675

Overall Height: 5.33 (135)
 Inlet Connection: 5/16
 Outlet Connection: 5/16
 Largest element OD: 2.17 (55)
 FORD D1FZ9155A Mexico only



FF5676

Overall Height: 3.07 (78)
 : 5/16",30,,,
 Largest element OD: 0.75 (19)
 Mexico only




FF5677

Overall Height: 4.41 (112)
 : 3/8",30,,,
 Outlet Connection: 3/8
 Largest element OD: 1.75 (44)
 NISSAN 1640041B00 Mexico only



FF5678

Overall Height: 4.80 (122)
 : 5/16",30,,,
 Largest element OD: 2.20 (56)
 GMC 5651775 Mexico only



FF5679

Overall Height: 3.27 (83)
 Inlet Connection: 1/4
 Outlet Connection: 1/4
 Largest element OD: 1.57 (40)
 NISSAN 1640010Y00 Mexico only



FF5680

Overall Height: 4.76 (121)
 Inlet Connection: 5/16
 Outlet Connection: 5/16
 Largest element OD: 2.20 (56)

FH21001 LEYLAND AENB046 Kit containing filter FS19689, pump, heater w/o thermostat, WIF for Euro 3 applications


FH21011 LEYLAND AENB092 Kit containing filter FS19689, pump, heater w/o thermostat, WIF for Euro 4 applications. [optional] temperature sensor can be fitted

FH23215 DAVCO 232053RL Diesel Pro Remote Mount Medium duty engines, WIF, 12v pre-heater, 10 micron filter element - FS19731 Fuel Flows up to 60 gph (230 lph)

Overall Height: 14.00 (356)
 Inlet Connection: 3/8-18 NPTF
 Outlet Connection: 3/8-18 NPTF
 Heater Voltage (DC): 12.00 (12)
 WIF Sensor: YES
 Pressure Diagnosis Port: NO
 Width: 6.25 (159)


Fuel Filter/Water Separators

FS1294 Upgrade of FS1207



Overall Height: 4.69 (119)
 End 1 OD: 4.29 (109)
 End 2 OD: 4.29 (109)
 End 1 ID: 0.65 (17)
 End 2 ID: 0.83 (21)

FS19739 VETUS STM3690



Overall Height: 4.33 (110)
 Largest OD: 3.03 (77)
 Largest OD: 2.76 (70)
 Largest OD: 3.03 (77)
 Standpipe: NO
 Thread Size: M16 X 1.5-6H INT

FS19821 IVECO 2992662

Overall Height: 7.72 (196)
 Largest OD: 3.68 (94)
 Largest OD: 2.76 (70)
 Largest OD: 3.68 (94)
 Standpipe: NO
 Thread Size: M16 X 1.5-6H INT

FS19843 BALDWIN BF1351SP, CATERPILLAR 1R0769

Overall Height: 9.98 (254)
 Largest OD: 4.25 (108)
 Largest OD: 3.98 (101)
 Largest OD: 3.59 (91)
 Standpipe: NO
 Thread Size: 1-14 UNS-2B

FS19865 JOHN DEERE RE509032


Overall Height: 7.67 (195)
 End 1 OD: 3.27 (83)
 End 2 OD: 2.73 (69)

FS19868 JOHN DEERE RE509031

Overall Height: 6.00 (152)
 End 1 OD: 3.27 (83)
 End 2 OD: 2.73 (69)


Hydraulic Filters

HF6162 MERCEDES-BENZ 4660604



Overall Height: 3.96 (101)
 End 1 OD: 2.32 (59)
 End 2 OD: 2.32 (59)
 End 1 ID: 0.71 (18)
 End 2 ID: 0.71 (18)

HF6417 DYNABO 499519



Overall Height: 8.29 (211)
 Largest OD: 3.68 (94)
 Largest OD: 2.76 (70)
 Largest OD: 3.68 (94)
 Standpipe: NO
 Thread Size: 1-12 UNF-2B

HF6535

Overall Height: 5.77 (147)
 Largest OD: 3.67 (93)
 Largest OD: 2.84 (72)
 Largest OD: 3.72 (94)
 Standpipe: NO
 BPV Setting: 0.00 (0)
 Thread Size: 3/4-14 BSP


HF6539

Overall Height: 5.77 (147)
 Largest OD: 3.67 (93)
 Largest OD: 2.85 (72)
 Largest OD: 3.72 (94)
 Standpipe: NO
 BPV Setting: 0.00 (0)
 Thread Size: 3/4-14 BSP

HF6839 JOHN DEERE AT193966


Overall Height: 11.78 (299)
 Largest OD: 4.90 (124)
 Largest OD: 4.11 (104)
 Standpipe: NO
 BPV Setting: 0.00 (0)
 Thread Size: 1 1/2-16 UN-2B

HF7535 SCANIA 1301696




Overall Height: 4.45 (113)
 Largest OD: 3.70 (94)
 Largest OD: 2.82 (72)
 Largest OD: 3.86 (98)
 Standpipe: NO
 ADBV: Yes
 BPV Setting: 29.01 (200)
 Thread Size: M23 X 1.5-6H INT

HF7543 RENAULT V.I. 870229300, LAUTRETTE L1477




Overall Height: 2.22 (57)
 End 1 OD: 3.33 (85)
 End 2 OD: 3.33 (85)
 End 1 ID: 0.52 (13)

HF7615 RENAULT V.I. 5000791145




Overall Height: 2.91 (74)
 Largest OD: 3.39 (86)
 Largest OD: 2.84 (72)
 Largest OD: 3.48 (89)
 Standpipe: NO
 ADBV: Yes
 BPV Setting: 14.50 (100)
 Thread Size: M20 X 1.5-6H INT

HF7831 VOITH 90537311




Overall Height: 7.95 (202)
 BPV Setting: 29.01 (200)
 End 1 OD: 3.28 (83)
 End 2 OD: 3.28 (83)
 End 1 ID: 1.15 (29)

HF7983 UCC HYDRAULICS MXR8550 Upgrade of HF6173 Synthetic Media Version



Overall Height: 5.84 (148)
 Largest OD: 3.70 (94)
 Largest OD: 2.84 (72)
 Largest OD: 3.86 (98)
 Standpipe: NO
 Thread Size: 3/4 BSP

HF7999 ZF 750131003, VOLVO 11932811, RENAULT 5000807213 Uses service part: 3916708S




Gasket: 3328501, 3328502
 Overall Height: 4.13 (105)
 End 1 OD: 2.76 (70)
 End 2 OD: 2.76 (70)
 End 1 ID: 1.30 (33)

HF28683 Various Applications

Largest OD: 3.20 (81)
 RENAULT V.I. 5010197266


HF28806 Fleetguard®



No image Available

Overall Height: 8.31 (211)
 Largest OD: 3.68 (94)
 Largest OD: 2.77 (70)
 Largest OD: 3.68 (94)
 Standpipe: NO
 ADBV: Yes
 BPV Setting: 36.26 (250)
 Thread Size: 1-12 UNF-2B

HF30070 Fleetguard®



No image Available

PALL HC8900FDN8H, PALL HC8900FKN8H

Overall Height: 8.22 (209)
 End 1 OD: 3.79 (96)
 End 2 OD: 3.79 (96)
 End 1 ID: 2.18 (55)

HF30109 PALL HC8300FKN16H

Overall Height: 16.81 (427)
 End 1 OD: 3.41 (87)
 End 2 OD: 3.39 (86)
 End 1 ID: 1.95 (50)

HF30212 MP PRODUCTS 6012001

Overall Height: 4.62 (117)
 End 1 OD: 3.12 (79)
 End 2 OD: 3.11 (79)
 End 2 ID: 1.67 (42)

HF30220 FAIREY ARLON 270Z222A

Overall Height: 9.29 (236)
 End 1 OD: 2.90 (74)
 End 2 OD: 2.90 (74)
 End 1 ID: 1.24 (32)

HF30634 PALL HC8300FKP39H
Upgrade of HF7008

Overall Height: 38.37 (975)
End 1 OD: 5.94 (151)
End 2 OD: 5.94 (151)
End 1 ID: 4.11 (104)
End 2 ID: 4.11 (104)

HF30725 PALL HC8300FKT8H

Overall Height: 7.87 (200)
End 1 OD: 6.00 (152)
End 2 OD: 6.00 (152)
End 1 ID: 4.11 (104)
End 2 ID: 4.11 (104)

HF35250

Overall Height: 16.86 (428)
End 1 OD: 3.12 (79)
End 2 OD: 3.11 (79)
End 2 ID: 1.67 (42)

Lube Filters

LF777 CUMMINS 3304232 Filter
used with 3304173S Uses
service part: 3318566S 2.0
GPM flow rates

Overall Height: 9.81 (249)
Largest OD: 4.57 (116)
Largest OD: 4.39 (111)
Largest OD: 4.74 (120)
Standpipe: NO
Thread Size: 1 3/8-16 UNS-2B

LF796 AC PF39, AC PF44, AC PF46
Product is not available in all
regions of the world.

Overall Height: 3.49 (89)
Largest OD: 2.99 (76)
Largest OD: 2.84 (72)
Largest OD: 3.05 (77)
Standpipe: NO
ADBV: Yes
BPV Setting: 0.00 (0)
Thread Size: 13/16-16 UNS-2B

LF3342 CATERPILLAR 8N9586 For
Upgrade, use LF3789

Overall Height: 5.42 (138)
Largest OD: 3.67 (93)
Largest OD: 2.83 (72)
Largest OD: 3.69 (94)
Standpipe: NO
BPV Setting: 0.00 (0)
Thread Size: 1 1/8-16 UN-2B

LF3351 RENAULT V.I. 5000242510

Overall Height: 7.54 (192)
End 1 OD: 4.74 (121)
End 2 OD: 4.74 (121)
End 1 ID: 2.21 (56)
End 2 ID: 0.54 (14)

LF3357 LEYLAND 607488, M.A.N.
81055040008

Gasket: 3319872
Overall Height: 8.03 (204)
End 1 OD: 4.27 (109)
End 2 OD: 4.27 (109)
End 1 ID: 0.51 (13)
End 2 ID: 0.51 (13)

LF3376 SCANIA 173171, VOLVO
807180

Overall Height: 3.62 (92)
Largest OD: 3.68 (94)
Largest OD: 2.76 (70)
Largest OD: 3.68 (94)
Standpipe: NO
ADBV: Yes
BPV Setting: 17.40 (120)
Thread Size: 3/4-16 UNF-2B

LF3413 FRAM P7549 For Upgrade,
use LF3687 Renault 50 00 670
670

Overall Height: 8.31 (211)
Largest OD: 3.68 (94)
Largest OD: 2.76 (70)
Largest OD: 3.68 (94)
Standpipe: NO
ADBV: Yes
BPV Setting: 36.26 (250)
Thread Size: 1-12 UNF-2B

LF3477 RENAULT V.I. 5000670700 Is
a longer version of LF3565

Overall Height: 10.30 (262)
Largest OD: 4.25 (108)
Largest OD: 4.08 (104)
Largest OD: 4.33 (110)
Standpipe: NO
Thread Size: 1 1/8-16 UN-2B

LF3481 IVECO 1902076 Combo style
filter

Overall Height: 5.71 (145)
Largest OD: 4.25 (108)
Largest OD: 2.76 (70)
Largest OD: 4.25 (108)
Standpipe: NO
ADBV: Yes
BPV Setting: 23.21 (160)
Thread Size: 3/4-16 UNF-2B

LF3485 CATERPILLAR 7N7500 Uses
service part: 3940105S

Gasket: 3940105S
Overall Height: 10.29 (261)
End 1 OD: 7.39 (188)
End 2 OD: 7.39 (188)
End 1 ID: 2.85 (72)
End 2 ID: 2.85 (72)

LF3493 DAF 267714 Is a longer
version of LF3606 For
Upgrade, use LF3765

Overall Height: 12.43 (316)
Largest OD: 5.34 (136)
Largest OD: 4.28 (109)
Largest OD: 5.38 (137)
Standpipe: NO
BPV Setting: 36.26 (250)
Thread Size: 1 1/2-16 UNS-2B

LF3507 VOLVO 3823531

Gasket: 3322917
Overall Height: 2.05 (52)
End 1 OD: 2.44 (62)
End 2 OD: 2.44 (62)
End 1 ID: 1.00 (26)
End 2 ID: 1.00 (26)

LF3536 YANMAR 11900535100,
YANMAR YM11900535100 for
Fluted shell version see
LF16157

Overall Height: 4.02 (102)
Largest OD: 3.17 (81)
Largest OD: 2.52 (64)
Largest OD: 3.31 (84)
Standpipe: NO
ADBV: Yes
BPV Setting: 7.98 (55)
Thread Size: M20 X 1.5-6H INT

LF3565 RENAULT V.I. 5010240400 Is
a short version of LF3477

Overall Height: 7.34 (187)
Largest OD: 4.25 (108)
Largest OD: 3.95 (100)
Largest OD: 4.33 (110)
Standpipe: NO
Thread Size: 1 1/8-16 UN-2B

LF3606 DAF 267715 Is a short version
of LF3493

Gasket: 3836569, 3843259
Overall Height: 10.00 (254)
Largest OD: 5.34 (136)
Largest OD: 4.28 (109)
Largest OD: 5.38 (137)
Standpipe: NO
BPV Setting: 36.26 (250)
Thread Size: 1 1/2-16 UNS-2B

LF3608 TOYOTA 9091503006 Combo
type filter

Height: 4.84 (123)
Cross Section: 0.00 (0)
End 1 OD: 4.13 (105)
End 2 OD: 0.00 (0)
End 1 ID: 0.00 (0)
End 2 ID: 0.00 (0)

LF3655 FORD 914F6714AA,
MOTORCRAFT EFL386,
FORD FINISCODE 6203126

Overall Height: 3.68 (94)
Largest OD: 3.74 (95)
Largest OD: 3.50 (89)
Largest OD: 3.78 (96)
Standpipe: NO
ADBV: Yes
BPV Setting: 14.50 (100)
Thread Size: M22 X 1.5-6H INT

LF3675 VOLVO 478736, VOLVO
4787362

Overall Height: 10.39 (264)
Largest OD: 4.25 (108)
Largest OD: 3.94 (100)
Largest OD: 4.33 (110)
Standpipe: NO
Thread Size: 1 1/8-16 UN-2B

LF3727 DAF 1306878

Overall Height: 12.01 (305)
Largest OD: 4.66 (118)
Largest OD: 4.68 (119)
Largest OD: 4.68 (119)
Standpipe: YES
BPV Setting: 0.00 (0)
Thread Size: 2 1/4-12 UNS-2B

LF3730 SCANIA 1347726 Uses service part: 3931308S



Overall Height: 10.24 (260)
Largest OD: 4.25 (108)
Largest OD: 4.02 (102)
Largest OD: 4.33 (110)
Standpipe: NO
Thread Size: 1 1/8-16 UN-2B

LF3737 DAF 1310901 For Upgrade, use LF3773



Overall Height: 12.43 (316)
Largest OD: 5.34 (136)
Largest OD: 4.30 (109)
Largest OD: 5.41 (137)
Standpipe: NO
BPV Setting: 36.26 (250)
Thread Size: M42 X 2-6H INT
LIEBHERR 5700043

LF3744



Overall Height: 8.31 (211)
Largest OD: 3.68 (94)
Largest OD: 2.77 (70)
Largest OD: 3.68 (94)
Standpipe: NO
ADB: Yes
BPV Setting: 36.26 (250)
Thread Size: 1-12 UNF-2B

LF3769 MERCEDES-BENZ 6061840125



Overall Height: 6.89 (175)
End 1 OD: 3.23 (82)
End 2 OD: 3.23 (82)
End 1 ID: 1.42 (36)
End 2 ID: 1.42 (36)

LF3770 V.A.G. (VOLKSWAGEN, AUDI) 69115561



Overall Height: 4.51 (115)
Largest OD: 4.25 (108)
Largest OD: 2.76 (70)
Largest OD: 4.25 (108)
Standpipe: NO
ADB: Yes
BPV Setting: 36.26 (250)
Thread Size: 3/4-16 UNF-2B

LF3773 DAF 1327672 Upgrade of LF3737



Overall Height: 12.43 (316)
Largest OD: 5.34 (136)
Largest OD: 4.30 (109)
Largest OD: 5.41 (137)
Standpipe: NO
BPV Setting: 36.26 (250)
Thread Size: M42X2-6H INT
DAF 1346986

LF3825



Overall Height: 8.86 (225)
Largest OD: 5.34 (136)
Largest OD: 4.30 (109)
Largest OD: 5.39 (137)
Standpipe: NO
Thread Size: 1 1/2-16 UNS-2B

LF3827 MERCEDES-BENZ A0001801609



Overall Height: 5.91 (150)
End 1 OD: 3.31 (84)
End 2 OD: 3.31 (84)
End 1 ID: 1.56 (40)

LF3843 DAF 1345332



Overall Height: 8.74 (222)
Largest OD: 5.34 (136)
Largest OD: 4.30 (109)
Largest OD: 5.39 (137)
Thread Size: M42 X 2-6H

LF3893 FIAT-ALLIS 8806171 European Market Applications only



Overall Height: 7.80 (198)
End 1 OD: 3.74 (95)
End 2 OD: 3.74 (95)
End 1 ID: 1.30 (33)
End 2 ID: 1.30 (33)

LF3945 GMC 25014377 For Upgrade, use LF16104 various light truck and auto with Vortex engines Product is not available in all regions of the world.



Overall Height: 4.12 (105)
Largest OD: 2.99 (76)
Largest OD: 2.84 (72)
Largest OD: 3.05 (77)
Standpipe: NO
ADB: Yes
Thread Size: 13/16-16 UNS-2B

LF4053 M.A.N. 81055040041 Uses service part: 3320226, 3324572



Gasket: 3320127, 3320226, 3324572, 3328578
Overall Height: 10.57 (269)
End 1 OD: 4.74 (121)
End 2 OD: 4.74 (121)
End 1 ID: 2.21 (56)
End 2 ID: 0.54 (14)
MANN & HUMMEL H10501, DAF 213342

LF4071




Gasket: 3309762
Overall Height: 6.45 (164)
BPV Setting: 0.00 (0)
End 1 OD: 3.82 (97)
End 2 OD: 3.82 (97)
End 1 ID: 1.19 (30)
End 2 ID: 1.19 (30)
MANN & HUMMEL H1060, DAF 248126 Uses service part: 3625120S

LF4072



Gasket: 3309762
Overall Height: 7.65 (194)
BPV Setting: 0.00 (0)
End 1 OD: 3.82 (97)
End 2 OD: 3.82 (97)
End 1 ID: 1.19 (30)
End 2 ID: 1.19 (30)
DAF 323240

LF4156



Overall Height: 7.66 (195)
End 1 OD: 3.29 (84)
End 2 OD: 3.29 (84)
End 1 ID: 0.97 (25)
End 2 ID: 0.97 (25)

LF9030 CARRIER 20119182C, THERMO-KING 119182

Overall Height: 6.94 (176)
Largest OD: 3.67 (93)
Largest OD: 2.83 (72)
Largest OD: 3.69 (94)
Standpipe: NO
Thread Size: 1 1/8-12 UNF-2B

LF9667 Upgrade of LF3321, LF3379, LF667 Venturi Combo Filter



Overall Height: 10.39 (264)
Largest OD: 4.24 (108)
Largest OD: 3.94 (100)
Largest OD: 4.24 (108)
Standpipe: NO
BPV Setting: 0.00 (0)
Thread Size: 1 1/8-16 UN-2B
Upgrade of LF3781, LF3931

LF9931



Overall Height: 12.20 (310)
Largest OD: 5.34 (136)
Largest OD: 4.26 (108)
Largest OD: 5.38 (137)
Standpipe: NO
Thread Size: M 45 X 1.5-6H

LF16208 FORD D9AZ6731A Mexico only

Overall Height: 5.35 (136)
Largest OD: 3.66 (93)
Standpipe: NO
Thread Size: 3/4-16 UNF-2B
GMC 6438384 Mexico only

LF16209

Overall Height: 5.35 (136)
Largest OD: 3.66 (93)
Standpipe: NO
Thread Size: 13/16-16 UN-2B
CHRYSLER 3549957 Mexico only

LF16210

Overall Height: 4.13 (105)
Largest OD: 3.66 (93)
Standpipe: NO
Thread Size: 3/4-16 UNF-2B
NISSAN 43001000 Mexico only

LF16211

Overall Height: 3.35 (85)
Largest OD: 2.56 (65)
Standpipe: NO
Thread Size: M20 X 1.5-6H INT
FORD E1EE6714AA Mexico only

LF16212




Overall Height: 4.88 (124)
Largest OD: 2.91 (74)
Standpipe: NO
Thread Size: 3/4-16 UNF-2B
GMC 6439929 Mexico only

LF16213

Overall Height: 3.35 (85)
Largest OD: 2.91 (74)
Standpipe: NO
Thread Size: M18 X 1.5-6H INT
FORD F1AZ6731A Mexico only

LF16214

Overall Height: 3.86 (98)
Largest OD: 3.66 (93)
Standpipe: NO
Thread Size: M22 X 1.5-6H INT

LF16215	CHRYSLER 5281090 Mexico only Overall Height: 3.86 (98) Largest OD: 3.66 (93) Standpipe: NO Thread Size: 3/4-16 UNF-2B GMC 5578052 Mexico only	MK12508	HOLDEN AF1649, FF149, LF3336	Q77641L	Flex Tubing
LF16216	Overall Height: 4.09 (104) Largest OD: 3.66 (93) Standpipe: NO Thread Size: 13/16-16 UNF GMC 12555891 Mexico only	MK12509	HOLDEN AF4975, FF5180, LF3462	Q77642L	Flex Tubing
LF16217	Overall Height: 4.88 (124) Largest OD: 2.91 (74) Standpipe: NO Thread Size: M18 X 1.5-6H INT GMC 25014377 Mexico only	MK12511	FORD FF5244, LF3313	Q77643K	Flex Tubing
LF16218	Overall Height: 3.94 (100) Largest OD: 2.91 (74) Standpipe: NO Thread Size: 3/4-16 UNF-2B GMC 25010251 Mexico only	MK12523	mitsubishi AF25500K, FF5160, LF3830	RS4993	Nelson 870904A, 870904N
LF16219	Overall Height: 5.35 (136) Largest OD: 3.66 (93) Standpipe: NO Thread Size: 3/4-16 UNF-2B GMC 25010792 Mexico only	MK12524	mitsubishi FF5179, LF3336	RS5301	Renault 5010315990
LF16220	Overall Height: 4.88 (124) Largest OD: 2.91 (74) Standpipe: NO Thread Size: 13/16-16 UN-2B NISSAN 1520813201 Mexico only	MK13119	RENAULT TRUCKS FF5507, FS19735, LF3654, LF3675(2), 3959961, 3959962, 3959963	ST1047	HYDAC 240D005BH3HC, HYDAC 308093
LF16221	Overall Height: 4.17 (106) Largest OD: 2.91 (74) Standpipe: NO Thread Size: 3/4-16 UNF-2B NISSAN 1520855Y00 Mexico only	MK13120	Gasket: 3959961 (1), 3959962(1), 3959963 (1) CUMMINS LF777, LF3566, FS19728, FF5319	ST1768	TEREX 15246949
LF16222	Overall Height: 8.33 (212) Largest OD: 4.72 (120) Largest OD: 4.52 (115) Largest OD: 4.88 (124) Standpipe: NO Thread Size: 1 1/2-16 UNS-2B	MK13121	CUMMINS LF3536, LF778, FF5301	TF15076	GMC 3515996 Mexico only  Height: 0.60 (15) Length: 8.54 (217) Width: 6.54 (166)
LF16226	Overall Height: 4.17 (106) Largest OD: 2.91 (74) Standpipe: NO Thread Size: 3/4-16 UNF-2B HINO 156072190	MK13122	CUMMINS LF9009, FF5369W, WF2071	TF15077	FORD E9T27A098C Mexico only  Height: 0.60 (15) Length: 8.54 (217) Width: 6.54 (166)
Maintenance Kits		MK13123	CUMMINS LF9009, FF5369W, WF2051	TF15078	GMC 8651909 Mexico only  Height: 0.60 (15) Length: 8.54 (217) Width: 6.54 (166)
MK12059	MERCEDES-BENZ LF3607(2)	MK13124	CUMMINS LF9009, FF5369W	TF15079	Mexico only
MK12502	HOLDEN AF4616, FF5030, LF3433	MK13125	CATERPILLAR LF691A, FF5369W, FF5319	TF15080	Mexico only
MK12505	HOLDEN FF5180, LF3462	MK13126	CUMMINS LF16046, FF5369W, FF5405	TF15081	Mexico only
MK12506	HOLDEN AF1649, FF5030, LF3433	MK13127	DETROIT DIESEL LF9001(2), FF5369W		
MK12507	HOLDEN AF25372, FF5030, LF3528	MK13128	MERCEDES-BENZ FS19847, LF16046, FF5405		
		MK13148	MACK LF3973(2), FS19624, CS41011		
		Q62454	Retainer Assembly		
		Q646112	3.125" Maxxum Stack for Ag/Construction		
		Q708169	exclusive part/ 4" flex tube		
		Q708688	Hump Hose for use with Air Cleaners		
		Q712223	5" Flex Tubing		
		Q715576	Construction Equipment		
		Q754197L	Flex Tubing		
		Q760242			
		Q77641K	Flex Tubing		